

burmatex®


INTRODUCING TIVOLI 2019

tile and plank tufted loop pile

tivoli kythira blue & key west blue



tivoli is available in tile and plank



Low Level Loop


Yarn: 100% Solution Dyed Nylon (Polyamide-PA)

Pile weight: 600g/m²

Total weight: 4050g/m²

Total thickness: 6.5mm

Wear classification: BS EN 1307 Heavy Commercial Use Class 33



tivoli mist turtle bay with
tivoli dominica dawn & **guyana moss**


tivoli antigua steel, naxos breeze & ionian blue



tivoli, available in both tile and plank size options, offers an extensive colour palette, made using 100% solution dyed nylon.

With the inclusion of three loop pile designs: **tivoli**, tivoli multiline and **tivoli online**, the options for creative floor design are endless.

Achieving class 33 heavy commercial use in technical testing, tivoli is suitable for use in a wide variety of commercial interiors.



tivoli dominica dawn, antigua steel, tiki yellow
with **tivoli multiline** melanesia grey



tivoli dominica dawn, aruba dusk, st kitts basalt with
tivoli online haiti haze & **tivoli multiline** melanesia grey

A vibrant recolouration of **tivoli** has introduced a selection of new, bright colours to enhance the core colour palette of the original offering.

Work on the blue, grey and neutral colour groups has strengthened the options for timeless design, making the range suitable for both classic and creative floor design.

Of the three available designs: **tivoli**, **tivoli multiline** and **tivoli online**, all are available in 50 x 50cm tile format, with a selection of 26 curated colours available in 25 x 100cm plank.




tivoli aruba dusk, naxos breeze, purple sky, miami aqua & pinta purple
with **tivoli online** haiti haze & **tivoli multiline** cayman purple

tivoli colour options




tiki yellow
■ 20266 ■ 21166
LRV: Y 16.09 - L 47.71




bermuda lime
■ 20202 ■ 21102
LRV: Y 13.10 - L 42.91



guyana moss
■ 20201 ■ 21101
LRV: Y 9.06 - L 36.10




multiline everglade green
■ 20710
LRV: Y 9.90 - L 36.83



montserrat black
■ 20259 ■ 21159
LRV: Y 2.07 - L 15.88



st lucia night
■ 20207 ■ 21107
LRV: Y 4.02 - L 23.75



st kitts basalt
■ 20260 ■ 21160
LRV: Y 2.91 - L 19.68




aruba dusk
■ 20275 ■ 21175
LRV: Y 7.02 - L 32.03



antigua steel
■ 20242 ■ 21142
LRV: Y 10.06 - L 37.96



dominica dawn
■ 20245 ■ 21145
LRV: Y 11.93 - L 41.11



miami aqua
■ 20267 ■ 21167
LRV: Y 17.21 - L 48.38



sri lanka sands
■ 20268 ■ 21168
LRV: Y 17.62 - L 47.50




tobago sands
■ 20246
LRV: Y 14.42 - L 44.82



belize greige
■ 20208 ■ 21108
LRV: Y 12.13 - L 41.43




serranilla stone
■ 20213
LRV: Y 6.16 - L 29.82




online perissa sand
■ 20609
LRV: Y 9.93 - L 37.91




multiline seychelles beige
■ 20711 ■ 21211
LRV: Y 12.31 - L 40.15



multiline melanesia grey
■ 20703 ■ 21203
LRV: Y 8.11 - L 34.21




multiline tenerife black
■ 20707 ■ 21207
LRV: Y 5.80 - L 28.91



online haiti haze
■ 20608
LRV: Y 5.95 - L 31.17




nassau skies
■ 20252 ■ 21152
LRV: Y 8.30 - L 34.60




kythira blue
■ 20265 ■ 21165
LRV: Y 18.19 - L 47.37



naxos breeze
■ 20263 ■ 21163
LRV: Y 8.24 - L 34.20




crete blue
■ 20262
LRV: Y 8.95 - L 35.10




barbados blue
■ 20220 ■ 21120
LRV: Y 6.23 - L 29.98




key west blue
■ 20253 ■ 21153
LRV: Y 2.69 - L 18.77



ionian blue
■ 20264 ■ 21164
LRV: Y 3.57 - L 22.37




multiline santorini blue
■ 20708 ■ 21208
LRV: Y 6.66 - L 29.03




online aegean sea
■ 20607
LRV: Y 5.59 - L 28.24




multiline mediterranean topaz
■ 20709 ■ 21209
LRV: Y 6.67 - L 29.16




rio red
■ 20273
LRV: Y 4.08 - L 23.54




multiline takutea red
■ 20713
LRV: Y 5.64 - L 26.84



cali coral
■ 20272 ■ 21172
LRV: Y 8.71 - L 36.96



barbuda pink
■ 20274
LRV: Y 5.26 - L 26.34




harbour island
■ 20271
LRV: Y 7.49 - L 32.26



puerto rico purple
■ 20254
LRV: Y 6.65 - L 30.99




marie galante purple
■ 20212
LRV: Y 5.13 - L 27.10



multiline cayman purple
■ 20712 ■ 21212
LRV: Y 6.42 - L 31.81



pinta purple
■ 20270
LRV: Y 4.08 - L 22.17






purple sky
■ 20269 ■ 21169
LRV: Y 9.10 - L 36.18

technical specifications


Product Name	Tivoli
Product Description	Low Level Loop
Pile Yarn Description	100% Solution Dyed Nylon (Polyamide-PA)
Tile Dimensions	50 cm x 50 cm, 25 cm x 100 cm (planks)
Pile Yarn Weight	600g/m ² +/-10%
Total Weight	4050g/m ² +/-10%
Pile Height	4.0mm +/-10%
Total Thickness	6.5mm +/-10%
Gauge/ends per 10cm	1/10 th gauge 50 stitches
Tufts per m2 / Pile Density	196,500/m ² +/-10%
Backing Description	Accummen™, 75% recycled
Wear Classification	BS EN 1307 Heavy Commercial Use Class 33
Luxury Rating Class	LC2
Flammability	Euroclass Bfl-s1
Thermal Resistance	Tog Rating 0.39; ISO 8302: 0.04 m ² K/W
Castor Chair Rating	BS EN 985 Pass - suitable for continuous use
Hexapod	BS ISO 10361: Method B:2000 3 to 4
Static Loading	BS 4939: 1987 (2003) Recovery >80% (24hrs)
Dynamic Loading	BS ISO 2094: 1999 (2005) Loss <20% (1000 impacts)
Body Voltage Test	BS ISO 6356:2000 <2kV
Colour Fastness To Light	BS EN ISO 105 - B02 Minimum Grade 6
Colour Fastness To Shampoo	BS 1006:UK-TB: 1990 Minimum Grade 4-5
Sound Absorption Coefficient	BS EN 354:2003
Reduction in Impact Noise	BS EN ISO 10140-3:2010 23dB
Reduction in Impact Noise at 1000Hz	BS EN ISO 10140-3:2010 35.6dB
Number Of Tiles/Planks Per Box	20 (5m ²)



For best results we recommend*



For best carpet plank installation results we recommend*



*All tiles within these designs are unique and any linear aspects may not match from one tile to the next

tivoli sri lanka sands & cali coral
with tivoli multiline seychelles beige



ENVIRONMENT FRIENDLY CARPETS

Each step we take towards achieving sustainability is evidenced and supported by strict eco-standards, with **burmatex®** holding A or A+ BREEAM ratings across all product ranges and an overall A+ VOC rating.

burmatex®

victoria mills, the green
ossett, west yorkshire
WF5 0AN
united kingdom

tel: +44 (0) 1924 262 525
fax: +44 (0) 1924 280 033

for more information check:
www.burmatex.co.uk

email: marketing@burmatex.co.uk

international email:
international@burmatex.co.uk



@burmatex



/company/burmatex-limited



@burmatex



/burmatex